

Raymond Mhlaba Local Municipality

Address: Somerset Street
Fort Beaufort
5720



Advertisement

SUPPLY AND DELIVERY OF CYBECS SYSTEM BACKUP

Completed quotations must be placed in a sealed envelope endorsed with the relevant above mentioned definition of the project and must be deposited in the bid box at the offices of Raymond Mhlaba Local Municipality, CNR Market Street, Town Hall, Fort Beaufort, 5720.

BBBEE Status:	20 Points	Venue:	FORT BEAUFORT, TOWN HALL
Price:	80 Points	Last submission Date:	2022/04/07 12:00:00
Total:	100 Points		

Enquiry should be addressed to contact: L. YAKHE 046 645 7474

Bid Conditions:

Enquiry should be addressed to contact: Ms N. Speelman on 083 681 0101 Bidders must take note of the bid conditions: Raymond Mhlaba Municipality Supply Chain Management Policy will apply. Raymond Mhlaba Municipality does not bind itself to accept the lowest bid or any other bid and reserves the right to accept the whole or part of the bid. Bids which are late, incomplete, pages not filled in, unsigned or submitted by facsimile or electronically, will not be accepted. CIPRO / certificate of incorporation, certified ID copies of directors, valid tax clearance certificate, certified BBBEE certificate must be submitted. Supplier must be registered with Central Supplier Database (CSD). Service provider that supplied goods which are not according to specification that bidder will be rejected

NB: SPECIFICATION TO BE COLLECTED AT SCM OFFICE

Failure to comply with these conditions invalidates your offer


Yours Faithfully

Tender No: TDR000033

Requisition No. REQ000657

Document Fee R

SCM Manager



RAYMOND
MHLABA
MUNICIPALITY

UMANYANO KUPHULISO

Tel: 046 645 7400/7451 | Fax: 046 645 2562

8 Somerset Street | Fort Beaufort, 5720 | P.O.Box 36, Fort Beaufort, 5720

To : Supplychain
From : IT Department
Date : 02 March 2022
Subject : Equipment Specifications

Dear Sir/Madam

Specification for Cibecs System Backup for 1Year

Description of Product	Quantity
Cibecs System Backup	210

Thank You